

Goat Anti-Chicken IgY (IgG) (H+L) Secondary Antibody, CF®488A




Product Details

Available Variants	250 µL (SKU:80-1001-488)
Conjugate	CF®488A Ex: 490 nm, Em: 515 nm
Isotype	IgG
Host Species	Goat
Concentration	2 mg/mL
Format	Antigen affinity purified
Physical State	Liquid
Buffer	PBS + 50% glycerol + 2 mg/mL BSA + 0.05% azide
Production Notes	The antibody was purified from antisera by immunoaffinity chromatography using the antigen coupled to agarose beads
Species Reactivity	Chicken
Specificity	This antibody reacts with whole molecule chicken IgY and with the light chains of other chicken immunoglobulins. This antibody has been tested to ensure minimal cross-reaction with bovine, goat, guinea pig, syrian hamster, horse, human, mouse, rabbit, rat and sheep proteins, but it may cross-react with immunoglobulins from other species.
Storage	Store at -20°C, protected from light. Aliquots may be taken without freeze/thawing due to presence of 50% glycerol.
Antibody Registry ID	AB_3107218
Country of Origin	United States
Shipping	Shipped on ice packs
Expiration	6 months from date of receipt

Usage Statement

These antibodies are to be used as research laboratory reagents and are not for use as diagnostic or therapeutic reagents in humans.

Product Images



Representative FFPE section of rat brain cerebellum showing Homer1 staining. The sections were stained with anti-Homer1 recombinant chicken Mab (Cat. 78-454) using goat anti-chicken IgY CF@488 secondary antibody (Cat. 80-1001-488) (green). The sections were mounted with Fluoroshield (DAPI & DABCO) mounting medium (Cat. AR-6505). DAPI (blue) stains cell nuclei. Anti-Homer1 stains the postsynaptic densities of the Purkinje cell dendrites in the molecular layer of the cerebellum.

Product Page URL: www.antibodiesinc.com/products/goat-anti-chicken-igy-igg-h-l-secondary-antibody-80-1001-488



Created on 08. September 2026 | All information without guarantee