

Anti-GABAB Receptor (Ser783), R2-Subunit Antibody




Product Details

Available Variants	100 μ L (SKU:p1148-783) 25 μ L (SKU:p1148-783t)
Conjugate	Unconjugated
Isotype	IgG
Gene Name	GABBR2
Host Species	Rabbit
Format	Antigen Affinity Purified from Pooled Serum
Physical State	Liquid
Buffer	10 mM HEPES (pH 7.5), 150 mM NaCl, 100 μ g per ml BSA and 50% glycerol.
Production Notes	Prepared from pooled rabbit serum by affinity purification via sequential chromatography on phospho and non-phosphopeptide affinity columns.
Applications	ICC, IHC, WB
Dilution Ranges	WB: 1:1000 WB Brain: 1:1000 IHC: 1:500 ICC: 1:500
Species Reactivity	Mouse, Rat
Immunogen	Synthetic phospho-peptide corresponding to amino acid residues surrounding Ser783 of the R2 subunit of rat GABAB receptor, conjugated to keyhole limpet hemocyanin (KLH).
Specificity	Specific for endogenous levels of the ~102 kDa GABAB R2 phosphorylated at Ser783. Immunolabeling is completely eliminated by treatment with λ -phosphatase.
Molecular Weight	102 kDa

Quality Control	Western blots performed on each lot.
Storage	Storage at -20°C is recommended, as aliquots may be taken without freeze/thawing due to presence of 50% glycerol. Stable for at least 1 year at -20°C.
Antibody Registry ID	AB_2492117
UniProt ID	<u>O88871</u>
Shipping	Blue Ice
Expiration	After date of receipt, stable for at least 1 year at -20°C.
Usage Statement	For research use only. Not intended for therapeutic or diagnostic use. Use of all products is subject to our terms and conditions, which can be viewed on our website.
Expected Reactivity	Bovine, Canine, Chicken, Human, Non-Human Primate, Xenopus
Post Translational Modification Type	Phosphorylated
Post Translational Modification Residue	Ser783
NCBI Gene ID	83633

Product Images



Western blot of rat synaptic membrane lysate showing specific immunolabeling of the ~102 kDa GABAB R2 protein phosphorylated at Ser783 in the first lane (-). Phosphospecificity is shown in the second lane (+) where immunolabeling is completely eliminated by blot treatment with lambda phosphatase (λ -Ptase, 1200 units for 30 min).



Created on 31. July 2026 | All information without guarantee