www.antibodiesinc.com
orders@antibodiesinc.com
530-758-4400

PRODUCT DATASHEET

Anti-EpCAM (Extracellular region) Antibody


phosphosolutions ANTIBODIES THAT WORK

Product Details


Available Variants	100 µL (SKU:EM0391)
Conjugate	Unconjugated
Isotype	IgG1
Clone	M039
Gene Name	EPCAM
Host Species	Mouse
Format	Protein G Purified
Physical State	Liquid
Buffer	PBS + 1 mg/ml BSA, 0.05% NaN3 and 50% glycerol
Applications	ELISA, ICC, IP, WB
Dilution Ranges	WB: 1:1000 ICC: 1:100 IP: 1:100
Species Reactivity	Human
Immunogen	Clone (M039) was generated from the extracellular region of human EpCAM.
Specificity	Clone M039 mouse monoclonal antibody detects a 35-45 kDa* protein on SDS-PAGE "Native" immunoblots of human A431, H1915, and MCF7 carcinomas. This antibody weakly detects denatured EpCAM. The antibody works for native western blot, immunoprecipitation, ELISA capture, and immunocytochemistry.
Molecular Weight	35-45
Quality Control	Western blots performed on each lot.

Storage	Storage at -20°C is recommended, as aliquots may be taken without freeze/thawing due to presence of 50% glycerol. Stable for at least 1 year at -20°C.
UniProt ID	P16422 UniProt Summary: May act as a physical homophilic interaction molecule between intestinal epithelial cells (IECs) and intraepithelial lymphocytes (IELs) at the mucosal epithelium for providing immunological barrier as a first line of defense against mucosal infection. Plays a role in embryonic stem cells proliferation and differentiation. Up-regulates the expression of FABP5, MYC and cyclins A and E.
Country of Origin	United States
Shipping	Blue Ice
Expiration	After date of receipt, stable for at least 1 year at -20°C.
Usage Statement	For research use only. Not intended for therapeutic or diagnostic use. Use of all products is subject to our terms and conditions, which can be viewed on our website.
NCBI Gene ID	4072


Product Images



Western blot of native lysates including human EpCAM extracellular region (lane 1 & 6), MCF7 breast carcinoma (lane 2 & 7), A431 skin adenocarcinoma (lane 3 & 8), NCI-H1915 lung carcinoma (lane 4 & 9), and NCI-H446 lung carcinoma (lane 5 & 10). The blot was probed with mouse monoclonal anti-EpCAM (EM0391) (lanes 1-5) and mouse monoclonal anti-EpCAM (EM0421) (lanes 6-10) at 1:1000 each.



Immunocytochemical labeling of EpCAM in aldehyde fixed human NCI-H1915 lung carcinoma cells. The cells were labeled with mouse monoclonal anti-EpCAM (EM0391). The antibody was detected using goat anti-mouse Ig:DyLight® 594.



Representative Standard Curve using mouse monoclonal anti-EpCAM (EM0391) for ELISA capture of human recombinant EpCAM extracellular region with His-tag. Capture was detected by using an anti-His-tag antibody followed by appropriate secondary antibody conjugated to HRP.