www.antibodiesinc.com
orders@antibodiesinc.com
530-758-4400

PRODUCT DATASHEET

Anti-PTP1B (Tyr-152), Phosphospecific Antibody


phosphosolutions ANTIBODIES THAT WORK

Product Details

Available Variants	100 µL (SKU:PP2391)
Conjugate	Unconjugated
Isotype	IgG
Gene Name	PTPN1
Host Species	Rabbit
Format	Antigen Affinity Purified
Physical State	Liquid
Buffer	PBS + 1 mg/ml BSA, 0.05% NaN3 and 50% glycerol
Applications	ELISA, WB
Dilution Ranges	WB: 1:1000
Species Reactivity	Human, Mouse, Rat
Immunogen	PTP1B (Tyr-152) synthetic peptide corresponds to amino acids surrounding Tyr-152 in human PTP1B. This sequence has significant homology to the conserved site in rat and mouse PTP1B, and has homology to conserved sites in TC-PTP and MPTP, but not other protein tyrosine phosphatase family members.
Specificity	This antibody was cross-adsorbed to a phospho-tyrosine peptide then affinity purified with phospho-PTP1B (Tyr-152) peptide. The purified antibody detects a 50 kDa* band corresponding to PTP1B in western blots of pervanadate treated human A431 and Jurkat, as well as mouse SYF cells. This reactivity is not observed in control cells or after alkaline phosphatase treatment of blots.
Molecular Weight	50
Quality Control	Western blots performed on each lot.
Storage	Storage at -20°C is recommended, as aliquots may be taken without freeze/thawing due to presence of 50% glycerol. Stable for at least 1 year at

	-20°C.
UniProt ID	P18031 UniProt Summary: Tyrosine-protein phosphatase which acts as a regulator of endoplasmic reticulum unfolded protein response. Mediates dephosphorylation of EIF2AK3/PERK; inactivating the protein kinase activity of EIF2AK3/PERK. May play an important role in CKII- and p60c-src-induced signal transduction cascades. May regulate the EFNA5-EPHA3 signaling pathway which modulates cell reorganization and cell-cell repulsion. May also regulate the hepatocyte growth factor receptor signaling pathway through dephosphorylation of MET.
Country of Origin	United States
Shipping	Blue Ice
Expiration	After date of receipt, stable for at least 1 year at -20°C.
Usage Statement	For research use only. Not intended for therapeutic or diagnostic use. Use of all products is subject to our terms and conditions, which can be viewed on our website.
Post Translational Modification Type	Phosphorylated
Post Translational Modification Residue	Tyr-152
NCBI Gene ID	5770

Product Images



Western blot image of mouse SYF cSrc-transformed cells untreated (lanes 1 & 3) or treated (lanes 2 & 4) with pervanadate (1 mM for 30 min.). The blots were probed with rabbit polyclonal anti-PTP1B (a.a. 146-157) (lanes 1 & 2) or anti-PTP1B (Tyr-152) (lanes 3 & 4).



Created on 30. October 2026 | All information without guarantee